






# Energy Use by Calendar Month (Not Weather Normalized) for Village of Lansing Offices



Metrics Summary			
Metric 	May 2019 (Energy Baseline) 	Apr 2021 (Energy Current) 	Change 
ENERGY STAR Score (1-100)	80	91	11.00 (13.80%)
Source EUI (kBtu/ft <sup>2</sup> )	63.2	46.6	-16.60 (-26.30%)
Site EUI (kBtu/ft <sup>2</sup> )	43.7	31.1	-12.60 (-28.80%)
Energy Cost (\$)	2,579.03	2,068.83	-510.20 (-19.80%)
Total GHG Emissions Intensity (kgCO <sub>2</sub> e/ft <sup>2</sup> )	2.1	1.5	-0.60 (-28.60%)
Water Use (All Water Sources) (kgal)	<a href="#">Not Available</a>	<a href="#">Not Available</a>	N/A
Total Waste (Disposed and Diverted) (Tons)	<a href="#">Not Available</a>	<a href="#">Not Available</a>	N/A


## Energy Use By Calendar Month (Not Weather Normalized)





Property: Village of Lansing Offices (ID 12728339)

02/22/2022 04:15 PM EST

Month	Electric - Grid (kBtu)	Natural Gas (kBtu)
May-18	584.1344	192
Jun-18	2296.44656	553
Jul-18	2738.98288	75
Aug-18	3049.4752	25
Sep-18	3004.09602	771
Oct-18	2524.30448	6087.125
Nov-18	3224.112	14789.732
Dec-18	3921.362	20169.6422
Jan-19	4481.6905	25036.8102
Feb-19	4088.7286	22913.5926
Mar-19	3909.4682	21923.9943
Apr-19	2966.97389	12790.1044
May-19	2413.25085	7745.5
Jun-19	2170.88514	2651.50002
Jul-19	3003.81117	736.00008
Aug-19	2551.77797	0
Sep-19	1999.28484	871.0344
Oct-19	2266.45442	6466.9652
Nov-19	2669.1507	13029.5
Dec-19	3149.13872	17121.2097
Jan-20	3690.0237	17788.0643
Feb-20	2847.3011	18704.6043
Mar-20	2525.93888	16987.3313
Apr-20	2312.60484	13354.1478
May-20	2205.09633	7125.8938
Jun-20	2302.44651	661.25
Jul-20	3048.95566	0
Aug-20	2951.82772	19.999998
Sep-20	2448.12186	868.275792
Oct-20	2422.16709	5739.0575
Nov-20	2521.79816	11908.7962
Dec-20	2846.62187	15522.3951
Jan-21	3016.81374	10728.0336
Feb-21	2705.81358	11153.4432
Mar-21	2636.4524	16796.6669
Apr-21	2110.12385	10311.7214

# Energy Use by Calendar Month (Not Weather Normalized) for Village DPW Building and Old Office Building



Metrics Summary			
Metric 	Apr 2019 (Energy Baseline) 	Apr 2021 (Energy Current) 	Change 
ENERGY STAR Score (1-100)	<a href="#">Not Available</a>	<a href="#">Not Available</a>	N/A
Source EUI (kBtu/ft <sup>2</sup> )	54.5	56.0	1.50 (2.80%)
Site EUI (kBtu/ft <sup>2</sup> )	38.2	39.9	1.70 (4.50%)
Energy Cost (\$)	4,570.50	4,663.83	93.33 (2.00%)
Total GHG Emissions Intensity (kgCO <sub>2</sub> e/ft <sup>2</sup> )	1.8	1.9	0.10 (5.60%)
Water Use (All Water Sources) (kgal)	<a href="#">Not Available</a>	<a href="#">Not Available</a>	N/A
Total Waste (Disposed and Diverted) (Tons)	<a href="#">Not Available</a>	<a href="#">Not Available</a>	N/A

## Energy Use By Calendar Month (Not Weather Normalized)

Property: Village DPW Building and Old Office Building (ID 12728538)

02/22/2022 04:14 PM EST

Month	Electric - Grid (kBtu)	Natural Gas (kBtu)
Apr-18	1086.2694	Not Available
May-18	5612.3919	576
Jun-18	5179.5012	1739
Jul-18	5129.0057	537.33331
Aug-18	5989.7103	467.66659
Sep-18	5309.0718	2226
Oct-18	5255.7198	12570.875
Nov-18	5262.3376	29013.84
Dec-18	5946.3047	40739.289
Jan-19	6760.6355	50460.687
Feb-19	6009.8472	46107.042
Mar-19	6468.3248	41255.6984
Apr-19	5412.1374	21961.2191
May-19	5460.7695	14385.3341
Jun-19	5572.9325	5304
Jul-19	6703.992	720.66669
Aug-19	6161.2561	1142.83341
Sep-19	3571.18044	3676.0716
Oct-19	6978.9901	14111.5902
Nov-19	6638.2798	30489.838
Dec-19	6765.3119	42617.903
Jan-20	7024.089	43816.126
Feb-20	6435.6623	42494.41
Mar-20	5904.7719	32973.9794
Apr-20	5807.6322	26384.7234
May-20	5280.6796	15202.2312
Jun-20	4862.2374	2378.20567
Jul-20	5420.6768	428.98194
Aug-20	5274.9518	1550.4375
Sep-20	4954.2234	6799.0344
Oct-20	4724.4837	14267.3524
Nov-20	4810.921	26216.6132
Dec-20	5778.8949	42232.272
Jan-21	6008.1149	47784.867
Feb-21	6325.1412	50878.198
Mar-21	6886.4347	35756.104
Apr-21	6045.9163	20655.4853